

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	643	709/237.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 15:11
S2	600	709/237.ccls. and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 18:14
S3	45366	(interface) near4 (status or state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 19:56
S4	24398	(analy\$4 or assess\$4 or evaluat \$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor \$3 or track\$3 or detect\$3) WITH (interface or ((rout\$3 or forward\$3) adj table) or ((traffic or packet) adj schedul \$2) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:07
S6	317087	(analy\$4 or assess\$4 or evaluat \$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor \$3 or track\$3 or detect\$3) WITH (interface or ((rout\$3 or forward\$3) adj table) or ((traffic or packet) adj schedul \$2) or ((traffic or packet) adj classifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:13
S7	24398	S6 with (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:13

S8	22106	(check\$3 or test\$3 or determin\$5 or monitor\$3 or detect\$3) WITH (interface or ((rout\$3 or forward\$3) adj table) or ((traffic or packet) adj schedul\$2) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:14
S9	506	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((rout\$3 or forward\$3) adj table) or ((traffic or packet) adj schedul\$2) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:15
S10	387	S9 and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/15 12:16
S11	1	("2005/0076231").URPN.	USPAT	ADJ	ON	2007/11/15 19:17
S12	1	"6647509".pn.	USPAT	ADJ	ON	2007/11/15 19:17
S13	581	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH ((rout\$3 adj (module or component)) or ((rout\$3 or forward\$3) adj table) or ((traffic or packet or queuing) adj scheduler) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:05
S14	276	(detect\$3) WITH ((rout\$3 adj (module or component)) or ((rout\$3 or forward\$3) adj table) or ((traffic or packet or queuing) adj scheduler) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:08

S15	203	S14 and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:11
S16	0	((analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((traffic or packet or queuing) adj scheduler)) WITH (failure or fault or error or problem or liveness or deadness or working)) and router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:22
S17	6	((analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((traffic or packet or queuing) adj scheduler)) WITH (failure or fault or error or problem or liveness or deadness or working))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:23
S18	128	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) near2 ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:27
S19	20	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) adj ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:49
S20	3	(test\$3) near2 ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:52
S21	30	(test\$3) with ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:54
S22	27	((test\$3) with ((traffic or packet or queuing) adj scheduler)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:54

S23	15	((test\$3) adj ((rout\$3 or forward \$3) adj table)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 09:58
S24	0	((test\$3) adj ((traffic or packet) adj classifier)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 10:23
S25	0	((test\$3) with ((traffic or packet) adj classifier)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 10:23
S26	39	(analy\$4 or assess\$4 or evaluat \$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor \$3 or track\$3 or detect\$3) adj ((traffic or packet) adj classifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 10:24
S27	12	((test\$3) adj (classifier)) and router and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 10:27
S28	1	(analy\$4 or assess\$4 or evaluat \$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor \$3 or track\$3 or detect\$3) WITH (((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 10:29
S29	8	((test\$3) adj (rout\$3 adj (module or component))) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 10:42
S30	19	((test\$3) near3 ((router or routing) adj (module or component))) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 10:43

S31	95	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH ((data or forwarding) adj plane) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 11:38
S32	63	S31 and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 11:39
S33	2099	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (router) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 13:35
S34	938	S33 AND ((transmit\$3 or transmis\$4 or retransmit\$3 or retransmis\$4 or transfer\$3 or forward\$3 or rout\$3 or send\$3 or sent or resend\$3 or resent or direct\$3 or redirect\$3 or broadcast\$3 or unicast\$3 or multicast\$3 or (broad or uni or multi) adj cast\$3) WITH (message or frame or packet or unit or block or segment or data or information or signal) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5)) AND ((updat\$3 or alter\$5 or modif\$7 or (up adj dat\$3) or record\$5) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 14:26
S35	593	S33 AND ((transmit\$3 or transmis\$4 or retransmit\$3 or retransmis\$4 or transfer\$3 or forward\$3 or rout\$3 or send\$3 or sent or resend\$3 or resent or direct\$3 or redirect\$3 or broadcast\$3 or unicast\$3 or multicast\$3 or (broad or uni or multi) adj cast\$3) WITH (message or frame or packet or unit or block or segment or data or information or signal) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 14:33

		AND ((updat\$3 or (up adj dat \$3)) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault \$5))				
S36	414	S35 and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/16 14:49
S37	42	((link state advertisement) or (link state packet)) same ((interface or port) with (status \$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5 or flag))) and (link state database) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/28 15:59
S38	6221	((interface or port) with (status \$2 or state) with (message)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/28 16:05
S39	1107	((interface or port) with (status \$2 or state) adj (message)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/28 16:13
S40	20469	(bit adj error adj rate) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 16:32
S41	448	(bit adj error adj rate) and (@ad<"20030523" or @rlad<"20030523") and ((interface or port) with (status \$2 or state) with (information or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/03 16:33
S42	24	(concatenating OR aggregating OR combining OR merging OR batching OR consolidating) near6 (link near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:31
S43	661	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5 OR join\$5 or group\$5) near6 (link near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:32

S44	35	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5 OR join\$5 or group\$5) near6 (link near2 (state or status) near2 (message or advertisement))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:32
S47	315	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near6 (link near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:33
S48	295	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near6 (interface near3 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:34
S49	16	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near6 (interface near3 (state or status)) near5 (message)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:34
S51	299	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near4 (link near3 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 14:52
S52	6	S48 and S51	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/25 15:53
S61	1	"20040125774".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:00
S62	40	explicit near6 (state or status) near6 (interface or (data adj plane) or port)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:09
S63	91	explicit\$2 near6 (state or status) near6 (interface or (data adj plane) or port)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:09
S64	73	S63 and (@ad<="20030523" or @rlad<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:11
S65	120	(state or status) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:15
S67	90	S65 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:15

S68	13	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5)) near20 (state or status)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:19
S69	10	S68 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:20
S70	98	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:24
S71	61	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5)) and ((state or status) near6 (interface or (data adj plane) or port))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:24
S72	37	S71 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 12:24
S73	288	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1set\$5)) and ((state or status) near6 (interface or (data adj plane) or port))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 14:21
S74	221	S73 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 14:22
S81	0	((message or packet or advertisement) near6 (node) near6 ("not" near2 report\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:30
S82	0	((message or packet or advertisement) near6 (device) near6 ("not" near2 report\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:30
S83	134	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (\$1sleep\$3 or hibernat\$3 or suspend\$3)) and ((state or status) near6 (interface or (data adj plane) or port))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:35
S84	118	S83 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:35

S85	0	((message or packet or advertisement) near6 (interface or (data adj plane) or port or link) near6 (can\$1t near2 report \$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:54
S86	0	((message or packet or advertisement) near6 (interface or (data adj plane) or port or link) near6 ("not" near2 report \$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:55
S87	0	((message or packet or advertisement) near6 (interface or (data adj plane) or port or link) near6 (isn\$1t near2 report \$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 15:55
S89	78	((message or packet or advertisement) near6 (link) near6 (\$1sleep\$3 or hibernat\$3 or suspend\$3)) and ((state or status) near6 (link))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 16:02
S90	46	S89 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 16:02
S91	74	((message or packet or advertisement) near6 (link) near6 (re\$1start\$5)) and ((state or status) near6 (interface or (data adj plane) or port or link))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 16:06
S92	43	S91 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/02/26 16:06

2/26/2009 4:28:30 PM

C:\Documents and Settings\vkrishnan\My Documents\EAST\Workspaces\10775544.wsp